

# **Portable Pressure Comparator**

#### SPMK212C Low Pressure Comparator 0.4bar 6psi

Type: Pneumatic

**Pressure range:**  $(-0.4 \sim 0.4)$ bar;  $(-6 \sim 6)$ psi

**Connection:** M20×1.5, 1/4NPT / BSP,1/2NPT / BSP Female

**Dimension:** (240×130×130) mm

Net weight: 1.5 kg

**Accessories:** Plugs, O rings, Carrying Case(optional)



#### SPMK213C Low Pressure Comparator 1bar 15psi

**Type:** Pneumatic

**Pressurerange:**  $(-0.7 \sim 1)$ bar;  $(-10 \sim 15)$ psi

**Connection:** M20×1.5,1/4NPT/BSP,1/2NPT/BSPFemale

**Dimension:** (305×205×140) mm

Net weight: 3.0 kg

**Accessories:** Plugs, O rings, Carrying Case(optional)



#### SPMK213B Low Pressure Comparator 6bar 90psi

Type: Pneumatic

**Pressure range:** (-0.95~6) bar; (-14~90)psi

**Connection:** M20×1.5, 1/4NPT / BSP, 1/2NPT / BSP Female

**Dimension:** (298×179×154) mm

Net weight: 2.6Kg

**Accessories:** Plugs, O rings, Carrying Case(optional)



#### SPMK213H Low Pressure Comparator 40bar 600psi

**Type:** Pneumatic

**Pressure range:** (-0.95~40)bar; (-14~600)psi

**Connection:** M20×1.5, 1/4NPT / BSP, 1/2NPT / BSP Female

**Dimension:** (298×179×154) mm

Net weight: 2.6Kg

**Accessories:** Plugs, O rings, Carrying Case(optional)





#### SPMK213E High Pressure Comparator 70bar 1000psi

Type: Pneumatic

**Pressure range:** (-0.95~70)bar, (-14~1,000)psi

**Connection:** M20×1.5, 1/4NPT / BSP, 1/2NPT / BSP Female

**Dimension:**  $(400\times262\times170)$  mm

Net weight: 5.5Kg

Accessories: Plugs, O rings, Carrying Case(optional)



#### SPMK213E High Pressure Comparator 100bar 1500psi

Type: Pneumatic

**Pressure range:**  $(-0.95 \sim 100)$ bar,  $(-14 \sim 1,500)$ psi

**Connection:** M20×1.5, 1/4NPT / BSP, 1/2NPT / BSP Female

**Dimension:** (400×262×170) mm

**Net weight:** 5.5Kg

**Accessories:** Plugs, O rings, Carrying Case(optional)



#### SPMK214E High Pressure Comparator 160bar 2320psi

**Type:** Pneumatic

**Pressure range:**  $(-0.95 \sim 160)$ bar,  $(-14 \sim 2,320)$ psi

**Connection:** M20×1.5, 1/4NPT / BSP, 1/2NPT / BSP Female

**Dimension:** (470×262×170) mm

Net weight: 6.0Kg

**Accessories:** Plugs, O rings, Carrying Case(optional)



## SPMK214L Water Pressure Comparator 700bar 10000psi SPMK214L Oil Pressure Comparator

**Type:** Hydraulic (Oil / Water, Two types of pumps) **Pressure range:**  $(0 \sim 700)$ bar,  $(0 \sim 10,000)$ psi

**Connection:** M20×1.5, 1/4NPT / BSP, 1/2NPT / BSP Female

**Dimension:** (384x198×180) mm

**Net weight:** 4.7Kg

**Accessories:** Plugs, O rings, Carrying Case(optional)





## **Desk-top Pressure Comparator**

#### SPMK2000E Pneumatic Pressure Comparator 60bar 900psi

**Type:** Pneumatic

**Pressure Range:** (-0.95~60) bar, (-14~900)psi

**Connection:** M20×1.5, 1/4NPT / BSP, 1/2NPT / BSP Female

**Dimensio**n: (465×360×246) mm

Net weight: 14Kg

Accessories: Plugs, O rings, Carrying Case(optional)



## SPMK990S Water Pressure Comparator 600bar 9000psi SPMK990Y Oil Pressure Comparator

**Type:** Hydraulic (Oil / Water, Two types of pumps)

**Pressure Range:**  $(0 \sim 600)$  bar,  $(0 \sim 9,000)$ psi

**Connection:** M20×1.5, 1/4NPT / BSP, 1/2NPT / BSP Female

**Dimension:** (465×370×240) mm

Net weight: 15Kg

**Accessories:** Plugs, O rings, Carrying Case(optional)



## SPMK990S Water Pressure Comparator 1000bar 15000psi SPMK990Y Oil Pressure Comparator

**Type:** Hydraulic (Oil / Water, Two types of pumps) **Pressure Range:**  $(0 \sim 1,000)$  bar,  $(0 \sim 15,000)$  psi

**Connection:** M20×1.5, 1/2NPT/BSP Female

**Dimension:** (450×380×250) mm

Net weight: 15Kg

Accessories: Plugs, O rings, Carrying Case(optional)



### SPMK213K Ultrahigh Pressure Comparator 2500bar 36000psi

**Type:** Hydraulic Oil

**Pressure Range:**  $(0\sim2,500)$ bar,  $(0\sim36,000)$  psi **Connection:** M20×1.5, 1/2BSP Female, HP1/4

(9/16"-18 UNF female, Autoclave F-250-C,)

**Dimension:**  $(450\times380\times25)$  mm

**Net weight:** 17Kg

Accessories: Plugs, O rings, Carrying Case(optional)

